

ACIST | HDi™ HD IVUS System
Reinventing IVUS in HD


The ACIST HDi HD IVUS System

IVUS reinvented in HD. High-definition 60 MHz IVUS imaging, touch panel interface, superfast pullback, and the highly deliverable ACIST Kodama® HD IVUS Catheter.

Improved image quality


- Proprietary transducer and optimized signal processing for high-definition IVUS image quality, with minimized noise
- High-definition 60 MHz images of the vessel lumen and wall, without contrast flushing
- High depth of penetration to assess full plaque burden and the complete left main artery

Large Plaque Burdens




High resolution and depth of penetration enable full vessel wall visualization.

Edge Dissections




Higher resolution allows for visualizing more detail (e.g. the flaps in this dissection) than with traditional IVUS.

Neointimal Coverage



HDi enables visualization of details as small as 40 µm, such as fine neointimal stent strut coverage.

Stent Underexpansion



High resolution enables quick and easy detection of stent underexpansion.


Interactive compact console

- Small footprint is easy to integrate into cath labs
- Touchscreen enables rapid analysis

MEASURE, MANIPULATE, MANAGE




SWIPE, DRAW, ANNOTATE, ZOOM




Superfast pullback

- Up to 20x faster pullback reduces procedure time from minutes to seconds
- Minimizes motion artifacts and ischemic risk



Pullback time for a 7-cm pullback




Kodama HD IVUS Catheter

Improved deliverability


- Short distal tip, offset from the main catheter, improves lesion crossability and trackability and reduces the risk of guidewire entrapment and kinking
- Unique variable flexibility (VariFlex™) imaging window designed for stiffer proximal end and a more flexible distal end provides enhanced pushability and deliverability
- Lubricious hydrophilic coating provides easy navigation in tortuous anatomies

Optimized imaging


- Dual frequency option provides choice for optimal frequency (40 MHz or 60 MHz) to balance tissue penetration and higher resolution needs
- High-fidelity ultrasound transmission, even in stiffer sections (due to the VariFlex imaging window), for pure HD image capture
- Superfine axial resolution (<40 μm) versus other IVUS catheters (~100 μm) due to the 60 MHz transducer
- Quad core, super powerful microprocessor and sophisticated signal processing algorithms for processing of rich IVUS signal data



Novel offset tip design of Kodama.



Standard IVUS catheter tip design.



Kodama's unique VariFlex™ imaging window.

Contact us in the US:

ACIST Medical Systems, Inc.
7905 Fuller Road
Eden Prairie, Minnesota 55344
Phone: (952) 995-9300
Fax: (952) 941-4648
USA Toll-free: 1-888-667-6648

Contact us in Europe, Middle East and Africa:

ACIST Europe B.V.
Renier Nafzgerstraat 114
6221 KL Maastricht
The Netherlands
Phone: +31 43 354 5030
Fax: +31 43 354 5035

Visit our website:

www.acist.com